



ASTM A240 347 Austenitic stainless steel plate/coil on sale

With the rapid development of petroleum and natural gas industry, the demand for ASTM A240 347 Austenitic stainless steel plate/coil at home and abroad is increasing. As one of our company's best-selling products, ASTM A240 347 Austenitic stainless steel plate/coil is very popular because it can be made from steel plate to steel coil. Our company is committed to the steel industry, can provide customers with the best ASTM A240 347 Austenitic stainless steel plate/coil.

ASTM A240 347 Austenitic stainless steel plate/coil Application:

ASTM A240 347 Austenitic stainless steel plate/coil is widely used in aircraft exhaust, collector rings, expansion joints and in high temperature chemical processing, Chemical Processing, Food Processing - equipment and storage, Petroleum Refining - fluid catalytic cracking units, polythionic acid service, Pharmaceutical Production, Waste Heat Recovery.

Grade	Tensile Strength, min		Yield Strength, min		Elongation in 2 in. or 50 mm, min, %	Hardness, maxC		Cold Bend° D
	ksi	MPa	ksi	MPa		Brinell	Rockwell B	
347 (S34700)	75	515	30	205	40	201	92	not required

ASTM A240 347 Austenitic stainless steel plate/coil Mechanical Property:

ASTM A240 347 Austenitic stainless steel plate/coil Chemical Composition:

Grade	C	Mn	P	S	Si	Cr	Ni	Mo	N	Cu	Other Elements
347 (S34700)	0.08	2.00	0.045	0.030	0.75	17.0 - 19.0	9.0 - 13.0	-- -	- -	-- -	Cb 10 × C min, 1.00 max

Cold rolled stainless steel sheet (Coil) Specification:

Thickness: 0.3~8mm, width: 600~2100mm, Length: 2000~12000mm or Coil

Tolerance: according to relevant standard

Office Address: Room 301, Unit 6, lane 2500, xiupu Road, Kangqiao Industrial Area, Pudong New District, Shanghai



Shanghai Katalor Enterprises
ONCE BELIEVE, TRUST FOREVER!

Email: info@katalor.com
Tel: 0086-21-61182423

Surface: 2D, 2B, BA, No3, No4, polish and so on.

Hot rolled stainless steel sheet (Coil) Specification:

Thickness: 2.5~25mm, width: 1000~2100mm, Length: 4000~12000mm or Coil

Tolerance: according to relevant standard

Surface: No. 1

ASTM A240 347 Austenitic stainless steel plate/coil Other Terms:

Packaging Details: Standard export seaworthy packing or as required.

Delivery Time: 30-50 days, 7 days for stock goods.

Loading Port: Shanghai, Tianjin, Qingdao.

Offer Ability: 5 000MT/Per Month.

if you have any need of ASTM A240 347 Austenitic stainless steel plate/coil, please contact us freely. We are able to supply the high-quality, lowest price and best service for you. We also welcome to ask any confusion about ASTM A240 347 Austenitic stainless steel plate/coil to us. We will offer the best useful information about ASTM A240 347 Austenitic stainless steel plate/coil for you!

Office Address: Room 301, Unit 6, lane 2500, xiupu Road, Kangqiao Industrial Area, Pudong New District, Shanghai



Shanghai Katalor Enterprises
ONCE BELIEVE, TRUST FOREVER!

Email: info@katalor.com
Tel: 0086-21-61182423



specialized in manufacturing and exporting steel and casting product. Based on the domestic rich product resources and professional research on international market, Katalor's service has already spread many countries in Europe, America, Southeast Asia, Middle East, South America, Africa, and so on.

Contact US:

Phone: 0086-18317160019

TEL: 0086-21-61182423

Fax: 0086-21-61182425

E-mail: info@katalor.com

Skype: shanghai.katalor

Address : Room 301, Unit 6, lane 2500, xiupu Road, Kangqiao Industrial Area, Pudong New District, Shanghai

Office Address: Room 301, Unit 6, lane 2500, xiupu Road, Kangqiao Industrial Area, Pudong New District, Shanghai