



GB/T1591 Q345 C/D I/H Beam /channel steel

GB/T1591 Q345 C/D I/H Beam /channel steel is a kind of steel material. GB/T1591 Q345 C/D I/H Beam /channel steel is a low carbon alloy steel ($c < 0.2\%$), with good comprehensive performance, low temperature performance, cold stamping performance, good weldability and good machinability. GB/T1591 Q345 C/D I/H Beam /channel steel widely used in bridges, vehicles ships, buildings, pressure vessels and so on. Q stands for the yield of this material, and the latter 345 refers to the yield of this material, around 345MPa. And the GB/T1591 Q345 C/D I/H Beam /channel steel will decrease as the thickness of the material increases.

GB/T1591 Q345 C/D I/H Beam /channel steel consists of Q+ numeral + quality grade symbol + deoxidization method symbol. The steel dubbed "Q", representing the yield point of steel, behind the digital representation of the yield point value, in units of MPa such as Q235 (s) said the yield point for carbon steel 235 MPa.

H BEAM THEORY WEIGHT SCALE			
SIZE (MM)	(kg/m)	SIZE (MM)	(kg/m)
H*B*t1*t2		H*B*t1*t2	
100*50*5*7	9.54	344*348*10*16	115
100*100*6*8	17.2	350*350*12*19	137
125*60*6*8	13.3	388*402*15*15	141
125*125*6.5*9	23.8	390*300*10*16	107
148*100*6*9	21.4	394*398*11*18	147
150*75*5*7	14.3	400*150*8*13	55.8
150*150*7*10	31.9	396*199*7*11	56.7
175*90*5*8	18.2	400*200*8*13	66
175*175*7.5*11	40.3	400*400*13*21	172
194*150*6*9	31.2	400*408*21*21	197
198*99*4.5*7	18.5	414*405*18*28	233
200*100*5.5*8	21.7	428*407*20*35	284
200*200*8*12	50.5	458*417*30*50	415
200*204*12*12	72.28	440*300*11*18	124
244*175*7*11	44.1	446*199*8*12	66.7
244*252*11*11	64.4	450*200*9-14	76.5
248*124*5*8	25.8	482*300*11*15	115
250*125*6*9	29.7	488*300*11*18	129
250*250*9*14	72.4	496*199*9*14	79.5
250*255*14*14	82.2	498*432*45*70	605
294*200*8*12	57.3	500*200*10*16	89.6
294*302*12*12	85	582*300*12*17	137

Office Address: Room 301, Unit 6, lane 2500, xiupu Road, Kangqiao Industrial Area, Pudong New District, Shanghai



Shanghai Katalor Enterprises
ONCE BELIEVE, TRUST FOREVER!

Email:info@katalor.com
Tel:0086-21-61182423

298*149*5.5*8	32.6	588*300*12*20	151
300*150*6.5*9	37.3	596*199*10*15	95.1
300*300*10*15	94.5	600*200*11*17	106
300*305*15*15	106	700*300*13*24	185
338*351*13*13	106	792*300*14*22	191
340*250*9*14	79.7	800*300*14*26	210
344*354*16*16	131	890*299*15*23	213
346*174*6*9	41.8	900*300*16*28	243
350*175*7*11	50	912*302*18*34	286

I BEAM THEORY WEIGHT SCALE		
STYLE NO	hxbxd (mm)	(kg/m)
10	100×68×4.5	11.261
12	120×74×5.0	13.987
12.6	126×74×5	14.223
14	140×80×5.5	16.89
16	160×88×6	20.513
18	180×94×6.5	24.143
20a	200×100×7	27.929
20b	200×102×9	31.069
22a	220×110×7.5	33.07
22b	220×112×9.5	36.524
24a	240×116×8	37.477
24b	240×118×10	41.245
25a	250×116×8	38.105

Office Address:Room 301,Unit 6,lane 2500,xiupu Road,Kangqiao Industrial Area,Pudong New District,Shanghai



Shanghai Katalor Enterprises
ONCE BELIEVE, TRUST FOREVER!

Email:info@katalor.com
Tel:0086-21-61182423

25b	250×118×10	42.03
27a	270×122×8.5	42.825
27b	270×124×10.5	47.064
28a	280×122×8.5	43.492
28b	280×124×10.5	47.888
30a	300×126×9	48.084
30b	300×128×11	52.794
30c	300×130×13	57.504
32a	320×130×9.5	52.717
32b	320×132×11.5	57.741
32c	320×134×13.5	62.765
36a	360×136×10	60.037
36b	360×138×12	65.689
36c	360×140×14	71.341
40a	400×142×10.5	67.598
40b	400×144×12.5	73.878
40c	400×146×14.5	80.158
45a	450×150×11.5	80.42
45b	450×152×13.5	87.485
45c	450×154×15.5	94.55
50a	500×158×12	93.654

Office Address:Room 301,Unit 6,lane 2500,xiupu Road,Kangqiao Industrial Area,Pudong New District,Shanghai



Shanghai Katalor Enterprises
ONCE BELIEVE, TRUST FOREVER!

Email: info@katalor.com
Tel: 0086-21-61182423

50b	500×160×14	101.504
50c	500×162×16	109.354
55a	550×166×12.5	105.335
55b	550×168×14.5	113.97
55c	550×170×16.5	122.605
56a	560×166×12.5	106.316
56b	560×168×14.5	115.108
56c	560×170×16.5	123.9
63a	630×176×13	121.407
63b	630×178×15	131.298
63c	630×180×17	141.189


Please contact us if you are interested in GB/T1591 Q345 C/D I/H Beam /channel steel katalor supplied. Email ,cell an servicer is ok.

Office Address: Room 301, Unit 6, lane 2500, xiupu Road, Kangqiao Industrial Area, Pudong New District, Shanghai



Shanghai Katalor Enterprises
ONCE BELIEVE, TRUST FOREVER!

Email: info@katalor.com
Tel: 0086-21-61182423



specialized in manufacturing and exporting steel and casting product. Based on the domestic rich product resources and professional research on international market, Katalor's service has already spread many countries in Europe, America, Southeast Asia, Middle East, South America, Africa, and so on.

Contact US:

Phone: 0086-18317160019

TEL: 0086-21-61182423

Fax: 0086-21-61182425

E-mail: info@katalor.com

Skype: shanghai.katalor

Address : Room 301, Unit 6, lane 2500, xiupu Road, Kangqiao Industrial Area, Pudong New District, Shanghai

Office Address: Room 301, Unit 6, lane 2500, xiupu Road, Kangqiao Industrial Area, Pudong New District, Shanghai